

INSULATED ROOFING, WE'LL BRING THE How To.

STRATCO
COOLDEK
BEAUTIFUL INSULATED COMFORT



COOLDEK® ROOFING

VERANDAHS | PATIOS | WALLING

OUTDOOR LIVING

Control the climate, keep cool and experience outdoor living in comfort under a Stratco Outback® with Cooldek® roofing. The innovative Cooldek insulated panel provides a roof, insulation and ceiling like finish all in one product, with superior spanning capabilities and outstanding cooling performance. Add value and extend your outdoor living all year round with a Stratco Outback.

INSULATED ADVANTAGE

Stratco Cooldek roofing features an EPS insulated core that is permanently bonded to a smooth, easy to clean coloured steel underside and a profiled, coloured steel topside. The insulating properties of Cooldek reduce heat from above on hot days which significantly increases comfort levels under the roof. It also reduces noise from heavy rain and will aid in keeping the interior of your home cool, reducing your energy costs and your carbon footprint.

STRENGTH AND VERSATILITY

Exceptional strength allows Cooldek to span up to an impressive 10.8 metres unsupported. These large spans reduce the number of beams and framework required, which offers you an uncluttered appearance and clear views.

Simple to install, Cooldek even has an inbuilt rebate within it to conceal electrical wiring for fans and light fittings.

Stratco Cooldek, and the entire Outback range, have been designed, engineered and tested to comply with all relevant Australian Standards.


INVEST IN COOLDEK ROOFING

- Classic steel roof look on top, with a smooth ceiling-like underside.
- Outstanding cooling performance.
- Choose from Cooldek Classic or Cooldek CGI roof profiles.
- Choose from three insulation thicknesses.
- Wide range of popular roof colours.
- Ceiling-like underside is available in White.
- Exceptional strength reduces the number of beams and framework required.
- Reduces heat to make your outdoor living area more comfortable.
- Saves on electricity by reducing indoor cooling costs.

SPECIFICATIONS

Cooldek panels have the following insulation rating (R value):

- 50mm thick panels - up to R1.42
- 75mm thick panels - up to R2.16
- 100mm thick panels - up to R2.77
- 125mm thick panels - up to R3.41
- 150mm thick panels - up to R4.04



"Experience outdoor living under the cool canopy of a Stratco Outback® with inbuilt Cooldek® insulation."



WE'VE GOT PATIO How To.

Talk to our patio experts to sort out your outdoor living needs. Everything you need to know is in our heads.


Just tell us what's in yours and we'll make it happen




OPTIONS AVAILABLE

Choose from either the Cooldek Classic or the Cooldek CGI roof profiles. There are five insulation thicknesses to choose from; 50, 75, 100, 125 and 150mm. The topside colour choices include a wide range of popular colours to help you integrate your patio into existing colour schemes. The underside is available in White.

COOLDEK CLASSIC




COOLDEK CGI



PROFILE CROSS SECTIONS



50mm COOLDEK CGI PANEL



50mm COOLDEK CLASSIC PANEL

Coverage: 1000mm

Both profiles are available in 50, 75, 100, 125 or 150mm insulation thickness.




NOTE: All Cooldek sheets are provided at minimum length of 2000mm. Where Cooldek sheets of less than 2000mm are required they will need to be cut on site.

CEILING PROFILES

SMOOTH

V-GROOVE

SILKLINE



**LET IN EVEN
MORE LIGHT WITH
COOLDEK COOL LIGHT**

- Suitable for all panel profiles, thicknesses and lengths
- Easy to install
- Use on Flat & Gable applications
- 270mm wide for Cooldek Classic and Cooldek CGI

Refer Cool Light Installation Guide for further details.



« SCAN THIS QR CODE TO FIND A STRATCO NEAR YOU

1300 155 155
stratco.com.au

All brands and logos/images accompanied by © or ™ are trade marks of Stratco (Australia) Pty Limited. © Copyright May 2013

How To.

